MINERAL SURVEY No. 3775

ARIZONA	Land District.
FIELD N OF THE SURVEY OF THE	
Tom Reed Gold Mines	
KNOWN AS	тне
TOM REED FRACTIO	N lode
San Francisco	
Mohave County	, Arizona
ections 14 and 15 , Township	19 N., Range 20 W.
Surveyed under instructions dated	May 26, , 1921.
by	Herman C. Zulch U. S. Mineral Surveyor.
Claim located September 2	5. See location , 1915.
Survey commenced June	3,, 1921.
Survey completed June	9,, 1921.
Address of claimant's Atty. Box 246., Kingman, A DATES OF AMENDED	rizona.
May 14, 1	921

Page 1.

Beginning at Cor. No.1, Total transfer at av. el

Identical with Cor. No.1, Sur. No. 2610 Thos. B. Reed lode.

A pine post, 4 ins. square, with nail at exact Cor., 2 ft. above a mound of earth and stone, scribed: 1- T.R. 2610, I add: 1-T.R.F. 3775, to scribing.

The S.E.Cor. of Sec.15; T.19 N; R.20 W; G.& S.R. B.& M., bears S64°55'E 139.26 ft.

No other bearings available.

Thence N61° 46'W

31.00 To Southwest End Center.

A redwood post, 4 ft. long, 4 ins. square, with nail at exact point, set 18 ins. in the ground in mound of earth and stone, scribed: 3775.

50.75 To Cor. No.2.

Identical with Cor. No.6 Sur. No. 2610 Olla Oatman lode.

A pine post, 4ins. square, with nail at exact Cor., 2 ft. above a mound of earth and stone, scribed: 6-0. 2610, I add: 2-T.R.F. 3775 to scribing.

No bearings available.

Thence N47° 47'E

SO SEE SATARRE ON SAL TO THE HATCH

229.65 Intersect East boundary Sec.15; T.19 N; R.20 W., at NO°11'W 237.36 ft. from the S.E.Cor and SO°11'E 2407.20 ft. from the East \(\frac{1}{4} \) Cor., said section.

291.75 To Cor. No.3.

Identical with Cor. No. 2 Thos. B. Reed and East End Center Olla Oatman lodes, Sur. No. 2610.

A pine post, 4 ins. square, with nail at exact Cor.,

2 ft. above a mound of earth and stone, scribed: 2-T.R.

(this may be 8 but looks like B)

2610, B-2610, I add: 3-T.R.F. 3775, to scribing.

Cor. No. 1 said Thos. B. Reed lode, brs. S. 37°55'W 278.90 ft.

No bearings available.

19.75 To Northeast End Center.

A redwood post, 4 ft. long, 4 ins. square, with nail at exact point, set 18 ins. in the ground, in mound of earth and stone, scribed: 3775.

MINERAL SURVEY NO. STYLE

50.75 To Cor. No.4.

A redwood post, 4 ft. leng, 4 ins. square, with nail at exact Cor., set 18 ins. in the ground, in mound of earth and stone, scribed: 4-T.R.F. 3775.

No bearings available.

Thence S47°47'W

122.14 Intersect East boundary Sec.15; T.19 N; R.20 W., at NO°11'W 172.97 ft. from the S.E.Cor. and SO°11'E 2471.59 ft. from the East 1 Cor., said section.

291.75 To Cor. No.1, the place of beginning.

Variation at all corners 14°30' East.

LODE LINE

As near as can be determined from present development the vein embraced in this claim extends as follows from the Disc. Shaft.

50 ft. S47°47'W and 241.75 ft. N47°47'E.

te . W 03. W : T 98. T : 81, pot graterno de tabatata do . 989

Area.

Acres. Acres. 320

Total Area Tom Reed Fraction lode

Area in conflict with_

Sur. No. 2610 Thos. B. Reed lode .160

The survey of this location is identical with the amended location as staked on the ground.

Center Olla Datman lodes, Smr. vib. 2010

LOCATION.

This survey is located in Sec's 14 and 15; T.19 N;

R.20 W; G.& S.R. B.& M., San Francisco Mining District, Mohave County, Arizona,

ADJOINING AND CONFLICTING CLAIMS.

On the North- Sur. No. 2610 Olla Oatman and Thos. B. Reed lodes, claimant herein.

On the East and South- Sur. No. 2610 Thos. B. Reed lode, claimant herein.

On the West Crystal Cone lode, unsurveyed, claimant unknown.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benifit of the lode claim embraced in this survey, by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist of:

> No.1. - The disc. shaft of the Tom Reed Fraction lode, 6X6 ft., 14 ft. deep, caved material in bottom of shaft, the center of the shaft is on the lode line, 50 ft. from the Southwest End Center.

> > Value \$200.00

No.2.- A drift, 5X7 ft., on the 700 level of the Ben Harrison shaft, which is the "Common Improvement Shaft" of the claimant herein; Beginning at point A. which bears N54°55'W 453 ft. from Cor. No.4, Sur. No. 2610 Thos. B. Reed lode, thence N36°15'W 295 ft. to point B., thence S73°45'W 73 ft. to point C. and 114 ft. to brst. From point C., the drift runs N28°10'W 180 ft. to brst., and S48°10'E 67 ft. to brst. A total of 651 ft. of drift. Value \$9760.00

1/10 int. in improvement above described

\$976,00

The above described addition to the "Common Improve-

ment" of the claimant, was started May 1st. 1919 by the claimant company and was performed, in part, with the express intention to credit a portion of this improvement to the Tom Reed Fraction lode and to apply for title, thus consolidating it with and rounding out the main group., By extending this additional improvement, by means of crosscuts and drifts toward and under this lode, it can and will be developed and mined in the most feasible manner at a depth of approximately 700 ft. below the surface; This improvement is therefor a "Common Improvement" for this lode and is equally divided with the nine other claims of the claimant company entitled to a share in this improvement, viz; Sur. No. 2610 Bessel, Olla Oatman, Thos. B. Reed, Benjamin Harrison and Rising Star lodes; Sur. No. 2710 Tip Top lode; Sur. No. 2903 Rising Sun lode; Sur. No. 2904 Cone View and Cone View No. 2 lodes.

OTHER IMPROVEMENTS.

None.

INSTRUMENT AND DETERMINATION OF MERIDIAN.

This Survey was made with an Ainsworth Engineers

Transit.

The courses were deflected from the true meridian as determined by direct solar observations.

The distances were measured with 100 ft. and 500 ft. steel tapes.

REPORT

The side and End Lines and Tie lines were run direct upon the ground.

The S.E.Cor. of Sec.15; T.19 N; R.20 W; G.& S.R. B.& M., consists of a 11 ins. black iron pipe with

brass cap, stamped: S15, S14, S22, S23, T 19 N., R 20 W.

The East \(\frac{1}{4}\) Cor. Sec.15; T.19 N; R.20 W; G.& S.R. B.& M., consists of a l ins. black iron pipe with brass cap, stamped: \(\frac{1}{4}\) S15, S14.

The disagreement between these notes and the call of the Public Land Survey is due to error in the latter.

The disagreement between these notes and the amended location certificate is due to error in the latter.

Oatman, Arizona.
June 19, 1921.

Hamman B. Julch U. S. Mineral Surveyor,

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals en	aployed by Herman C. Zulch
United States Mineral Surveyor, to assist in	running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field no	otes of the survey of the mining claim of
	ines Company
	CTION lode
and showing the respective capacities in which	
	E. W. Gilbreath , Chainman.
	, Chainman.
	, Awman.
	, Flagman.
FINAL OATH	IS OF ASSISTANTS.
yve, I. E. W. G	ilbreath
and	, do solemnly swear that we assisted
Herman C. Zuloh, United State	es Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	
Tom Reed Gold	Mines Company,
known as the Tom Reed F	raction lode
represented in the foregoing field notes as have	ving been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all	respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and bound	dary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-G	eneral for Arizona
	eneral for Arizona. E. W. Hilbreath, Chainman.
	, Chainman.
	, Avman.
Subscribed and sworn to by	the above-named persons before me this 22nd
	IN Long
my Communion East 17º3	QUE Tolary Subl
AL 2218 17=3	

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Herman C. Zul	ch	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuan	ice of instructions	received from the United States
Surveyor General for	Arizona	hateh
May 26, 1921	, I have, in	strict conformity to the laws of the
United States, the official regulation	as and instruction	s thereunder, and the instructions
of said Surveyor General, faithfully	and correctly ex	recuted the survey of the Mining
Claim ofTom Reed	Gold Mines Co	mpany
TOM RE	ED FRACTION	ode
situate in San	Francisco	Mining District.
Mohave	County,	Arizona, in Sections
14 and 15 , Township No. 19 N	, Range No.	20 W
and designated as Survey No	3775	as represented
in the foregoing field notes, which ac		
as distinctly marked by monuments	on the ground, an	d described in the attached copy
of the location certificate, which was	received by me	from the Surveyor General with
said instructions, and that all the cor	ners of said surve	y have been established and per-
petuated in strict accordance with t	he law, official re	egulations and instructions there-
under; and I do further solemnly sv	wear that the for	egoing are the true and original
field notes of said survey and my	report therein, an	d that the labor expended and
improvements made upon said minin	g claim by claima	nt or lts grantors
are as therein fully stated, and that	the character, ext	ent, location, and itemized value
thereof are specified therein with par	rticularity and ful	ll detail, and that no portion of
said labor or improvements so credite	ed to this claim h	as been included in the estimate
of expenditures upon any other claim.		
	6 Heren	an C. Lulch
		U. S. Mineral Surveyor.
Subscribed and array ()		
Subscribed and sworn to by the sa		rman C. Zulch
U.S. Mineral Surveyor, before	me 11114	this 22 nd
day of Jane	10 7 /	this 22 ho
day of Julia S.	19 4 /	
		More
		3 Le Co
Da 104 - 6		Molary Gubles
My Commission Experient 2318 1923.	ues.	
RI 2310 1923.		

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,
	September 27 .1921
I, U. S. Surveyor General for	DISTRICT OF ARIZONA,
do hereby certify that the foregoin	ng transcript of the Field Notes, return and approve
	of
	ID GOLD HINES COMPANY,
, known as the	TOM REED FRACTION LODE,
	, situate in SAN FRANCISCO,
	, MOHAVE County
	, in Sections 14 and 15 , Township No. 19 N
Range No. 20 We, G & S R	, and designated as Survey
file in this office: that said Fig. 1	has been correctly copied from the originals or
mining claims and Field	Notes furnish such an accurate description of said
mining claim as will, if incorporate	ed into a patent, serve fully to identify the premises
and that such reference is made the	rein to natural objects or permanent monuments as
will perpetuate and fix the locus the	ereof.
And I further certify that five	hundred dollars' worth of labor has been expended
or improvements made upon said	mining claim by claimant or its grantors, and
that said improvements consist of	grantors, and
that said improvements consist of.	1 shaft and a 1/10 interest in a
certain drift from the Be	n Harrison shaft, total value \$1175.

and that no portion of said labor or	improvements has been included in the estimate of
expenditures upon any other claim.	improvements has been included in the estimate of
	ereof, filed in the U.S. Land Office at Phoenix,
Arizona, is correct and	d in conformity with the foregoing Field Notes.
	Frank P. Trott,
United State	s Surveyor General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

	Phoenix, Arizona,	
	September 27 , 1921	L
I, U. S. Surveyor General for	DISTRICT OF ARIZONA,	
	and hereto attached Field Notes and Return of the Survey of	
TOM E	EED GOLD MINES COMPANY,	
	, known as t	
	M REED FRACTION LODE,	
situate in	SAN FRANCISCO, mining distriction	ct,
MOHAVE	County, ARIZONA	;
in Sections 14 and 15 , T	ownship No. 19 II., Range No. 20 W.,	
G & S. R. B. & M, designated as Su	rvey No3775	
executed byHer	man C. Zulch , U. S. Miner	ral
Surveyor, June 3- 9	, 1921, under my instructions date	ed
May 26,	, 1921, have been critically examined and the necessary co)r-
rections and explanations made, and t	he said Field Notes and Return, and the Survey they describ	e,
are hereby approved. The certified co	py of the location certificate filed by the applicant for survey	is
on file in this office and a true copy of s	aid certified copy of said location certificate is included and mad	de
part of the transcript of the field not	es.	
	At man (Cartina)	
	(3/10/10/10/10/10/10/10/10/10/10/10/10/10/	

U. S. Surveyor General for _Arizons.